ELSEVIER

Precambrian Research 98 (1999) 309–326

Precambrian Research

www.elsevier.com/locate/precamres

Subject Index, Volumes 93–98 (1999)

$^{40}Ar/^{39}Ar$ geochronology
Late Precambrian metamorphism and cooling in the Arabian–Nubian Shield: $^{40}Ar/^{39}Ar$ geochronology of metamorphic rocks of the Elat area (southern Israel), 98 (1999) 107

A-type granite
Rapakivi granites from Brazil and adjacent areas, 95 (1999) 9

A-type granites
Geology, geochemistry, age and geotectonic evolution of the Dala granitoids, central Sweden, 95 (1999) 147

Abitibi belt
A 2.7 Ga depleted tholeiite suite: evidence of plume-arc interaction in the Abitibi Greenstone Belt, Canada, 97 (1999) 27

Acritarchs
Organic-walled microfossils from the Proterozoic Thule Supergroup, Northwest Greenland, 96 (1999) 1
Organic-walled microfossils from the Chert–phosphorite Member, Tal Formation, Precambrian–Cambrian Boundary, India, 97 (1999) 99
Organic-walled microfossils of Neoproterozoic Dongjia Formation, Lushan County, Henan Province, North China, 94 (1999) 121

Aeromagnetic data
Absolute (U–Pb) and relative age determinations of intrusive rocks in the Ragunda rapakivi complex, central Sweden, 95 (1999) 109

Afghanistan
Metamorphic evolution of the Precambrian South Badakhshan block, based on mineral reactions in metapelites and metabasites associated with whitesch-ists from Sare Sang (Western Hindu Kush, Afghanistan), 98 (1999) 223

Age-dating
Crustal evolution and age of thermotectonic reworking in the western hinterland of the Trans-Hudson Orogen, northern Saskatchewan, 95 (1999) 187

Age determination
P–T–t evolution of the Wilson Terrane metamorphic basement at Oates Coast, Antarctica, 93 (1999) 235

Amazonian craton
Rapakivi granites from Brazil and adjacent areas, 95 (1999) 9
Mesoproterozoic rapakivi granites of the Rondônia Tin Province, southwestern border of the Amazonian craton, Brazil — I. Reconnaissance U–Pb geochronology and regional implications, 95 (1999) 41

Amphibolite-facies
The metamorphic evolution of the Paleoproterozoic (Birimian) volcanic Ashanti belt (Ghana, West Africa), 98 (1999) 11

Amphibolite facies
Petrology and *P–T* history of the Wutai amphibolites: implications for tectonic evolution of the Wutai Complex, China, 93 (1999) 181
Metamorphic evolution of the Precambrian South Badakhshan block, based on mineral reactions in metapelites and metabasites associated with whitesch-ists from Sare Sang (Western Hindu Kush, Afghanistan), 98 (1999) 223

Anorogenic
Interaction between coeval mafic and felsic melts in the St. Francois Terrane of Missouri, USA, 95 (1999) 69

Anorthosite
The Proterozoic Ahvenisto rapakivi granite–massif-type anorthosite complex, southeastern Finland; petrography and U–Pb chronology, 95 (1999) 89

Antarctica
The Terre Adélie basement in the East-Antarctica Shield:

1999 Elsevier Science B.V.
PII: S0301-9268(99)00061-3

geological and isotopic evidence for a major 1.7 Ga thermal event; comparison with the Gawler Craton in South Australia, 94 (1999) 205
P–T–t evolution of the Wilson Terrane metamorphic basement at Oates Coast, Antarctica, 93 (1999) 235

Apatite
U–Pb ages on titanite and apatite from the Darling Range granite: implications for Late Archaean history of the southwestern Yilgarn Craton, 96 (1999) 125

Ar–Ar
Timing of exhumation of a high-pressure mafic granulite terrane of the Paleoproterozoic Ubende belt (West Tanzania), 93 (1999) 119

Arabian–Nubian Shield
Geochemistry of low-grade metavolcanic rocks from the Pan-African of the Axum area, northern Ethiopia, 96 (1999) 101
Late Precambrian metamorphism and cooling in the Arabian– Nubian Shield: $^{40}Ar/^{39}Ar$ geochronology of metamorphic rocks of the Elat area (southern Israel), 98 (1999) 107

Archaean
A 2.7 Ga depleted tholeiite suite: evidence of plume-arc interaction in the Abitibi Greenstone Belt, Canada, 97 (1999) 27
An extensive, crustally-derived, 3325 to 3310 Ma silicic volcanoplutonic suite in the eastern Pilbara Craton: evidence from the Kelly Belt, McPhee Dome and Corunna Downs Batholith, 96 (1999) 41
The Archaean Ravensthorpe Terrane, Western Australia: synvolcanic Cu–Au mineralization in a deformed island arc complex, 96 (1999) 143
Chronological correlations between the Pilbara and Kaapvaal cratons, 97 (1999) 165
The Archaean–Proterozoic Palaeoboundary in the Luleå area, northern Sweden: field and isotope geochemical evidence for a sharp terrane boundary, 96 (1999) 225
Geochemistry and geodynamic setting of volcanic and plutonic rocks associated with Early Archaean volcanogenic massive sulphide mineralization, Pilbara Craton, 98 (1998) 243
The 2.7–2.0 Ga volcano-sedimentary record of Africa, India and Australia: evidence for global and local changes in sea level and continental freeboard, 97 (1999) 269
Tensile and compressive growth structures: relationships between sedimentation, deformation and granite intrusion in the Archaean, 95 (1999) 277
Single zircon ages for granitoid gneisses in the Central Zone of the Limpopo Belt, Southern Africa and geodynamic significance, 93 (1999) 299

Archaean Pilbara Craton
New constraints on the evolution of the Mallina Basin, and their bearing on relationships between the contrasting eastern and western granite–greenstone terranes of the Archaean Pilbara Craton, Western Australia, 94 (1999) 11

Archean
Geochemical and U–Pb zircon geochronological constraints on the development of a Late Archean greenstone belt at Birch Lake, Superior Province, Canada, 97 (1999) 77
Assimilation–fractional crystallization origin of Archean Sanukitoid Suites: Western Superior Province, Canada, 96 (1999) 83
Influence of tectonism and climate on lithofacies distribution and sandstone and conglomerate composition in the Archean Beaulieu Rapids Formation, Northwest Territories, Canada, 94 (1999) 175
Trace element systematics of ultramafic and mafic volcanic rocks from the 3 Ga North Caribou greenstone belt, northwestern Superior Province, 93 (1999) 257

Archean–Proterozoic boundary
The nature of the Archean upper crust as revealed by the geochemistry of the Proterozoic shales of the Kaladgi basin, Karnataka, southern India, 98 (1999) 53

Archean crust
$^{207}Pb/^{206}Pb$ zircon ages and the evolution of the Singhbhum Craton, eastern India: an ion microprobe study, 93 (1999) 139

Ashanti belt
The metamorphic evolution of the Paleoproterozoic (Birimian) volcanic Ashanti belt (Ghana, West Africa), 98 (1999) 11

Atmosphere
Nitrogen isotope ratios of kerogens in Precambrian cherts: a record of the evolution of atmosphere chemistry?, 96 (1999) 63

Australia
The Terre Adélie basement in the East-Antarctica Shield: geological and isotopic evidence for a major 1.7 Ga thermal event; comparison with the Gawler Craton in South Australia, 94 (1999) 205

Authigenic
U–Pb and Pb–Pb isotopic studies relating to the origin of gold mineralization in the Evander Goldfield, Witwatersrand Basin, South Africa, 95 (1999) 167

Bacterial adhesion
Paleobiological significance of hydrophobicity and adhe-

sion of phototrophic bacteria from microbial mats, 96 (1999) 25

Badakhshan
Metamorphic evolution of the Precambrian South Badakhshan block, based on mineral reactions in metapelites and metabasites associated with whiteschists from Sare Sang (Western Hindu Kush, Afghanistan), 98 (1999) 223

Barberton Greenstone Belt
Sulfur isotope evidence for the origin of 3.4 to 3.1 Ga pyrite at the Princeton gold mine, Barberton Greenstone Belt, South Africa, 96 (1999) 209

Baricentric projection
The metamorphic evolution of the Paleoproterozoic (Birimian) volcanic Ashanti belt (Ghana, West Africa), 98 (1999) 11

Barite/chert
Growth fault control of Early Archaean cherts, barite mounds and chert-barite veins, North Pole Dome, Eastern Pilbara, Western Australia, 95 (1999) 247

Basement-involved thrusting
Thrust stacking in the inner Nordre Strømfjord area, West Greenland. Significance for the tectonic evolution of the Palaeoproterozoic Nagssugtoqidian orogen, 93 (1999) 71

Basin subsidence
The auriferous Late Archaean Central Rand Group of South Africa: sea-level control of sedimentation?, 97 (1999) 191

Biofilms
Paleobiological significance of hydrophobicity and adhesion of phototrophic bacteria from microbial mats, 96 (1999) 25

Biogenic pyrite
Sulfur isotope evidence for the origin of 3.4 to 3.1 Ga pyrite at the Princeton gold mine, Barberton Greenstone Belt, South Africa, 96 (1999) 209

Biostratigraphy
Organic-walled microfossils from the Proterozoic Thule Supergroup, Northwest Greenland, 96 (1999) 1

Birimian
The metamorphic evolution of the Paleoproterozoic (Birimian) volcanic Ashanti belt (Ghana, West Africa), 98 (1999) 11

Blezardian
Transpressive tectonism in the eastern Penokean orogen, Canada. Consequences for Proterozoic crustal kinematics and continental fragmentation, 93 (1999) 51

Boninites
A 2.7 Ga depleted tholeiite suite: evidence of plume-arc interaction in the Abitibi Greenstone Belt, Canada, 97 (1999) 27

Brazil
Rapakivi granites from Brazil and adjacent areas, 95 (1999) 9
Mesoproterozoic rapakivi granites of the Rondônia Tin Province, southwestern border of the Amazonian craton, Brazil — I. Reconnaissance U–Pb geochronology and regional implications, 95 (1999) 41

Brazilian/Pan-African
Neoproterozoic high-pressure metamorphism and tectonic constraint from the nappe system south of the São Francisco Craton, southeast Brazil, 97 (1999) 3

Carbonate cements
Microfossil populations in the context of synsedimentary micrite deposition and acicular carbonate precipitation: Mesoproterozoic Gaoyuzhuang Formation, China, 96 (1999) 183

Carbon isotope
Variations in Sr and C isotopes and Ce anomalies in successions from China: evidence for the oxygenation of Neoproterozoic seawater?, 93 (1999) 215

Ce anomaly
Variations in Sr and C isotopes and Ce anomalies in successions from China: evidence for the oxygenation of Neoproterozoic seawater?, 93 (1999) 215

Central Sweden
Absolute (U–Pb) and relative age determinations of intrusive rocks in the Ragunda rapakivi complex, central Sweden, 95 (1999) 109

Chert Member
Organic-walled microfossils from the Chert–phosphorite Member, Tal Formation, Precambrian–Cambrian Boundary, India, 97 (1999) 99

Cherts
Nitrogen isotope ratios of kerogens in Precambrian cherts: a record of the evolution of atmosphere chemistry?, 96 (1999) 63

Climate
Influence of tectonism and climate on lithofacies distribution and sandstone and conglomerate composition

in the Archean Beaulieu Rapids Formation, Northwest Territories, Canada, 94 (1999) 175

***Coccostratus dispergens* n. gen. et sp.**
Microfossil populations in the context of synsedimentary micrite deposition and acicular carbonate precipitation: Mesoproterozoic Gaoyuzhuang Formation, China, 96 (1999) 183

Collision
Thrust stacking in the inner Nordre Strømfjord area, West Greenland. Significance for the tectonic evolution of the Palaeoproterozoic Nagssugtoqidian orogen, 93 (1999) 71
Sm–Nd isotope evidence of a collisional event in the Precambrian of northern Sweden, 93 (1999) 105

Collision tectonics
Neoproterozoic high-pressure metamorphism and tectonic constraint from the nappe system south of the São Francisco Craton, southeast Brazil, 97 (1999) 3

Continental accretion
The Archaean–Proterozoic Palaeoboundary in the Luleå area, northern Sweden: field and isotope geochemical evidence for a sharp terrane boundary, 96 (1999) 225

Continental collision
Petrology and *P–T* history of the Wutai amphibolites: implications for tectonic evolution of the Wutai Complex, China, 93 (1999) 181

Continental freeboard
The 2.7–2.0 Ga volcano-sedimentary record of Africa, India and Australia: evidence for global and local changes in sea level and continental freeboard, 97 (1999) 269

Cooling
Late thermal evolution of Proterozoic rocks in the northeastern Llano Uplift, central Texas, 94 (1999) 49

Cooling rates
Early Archan U/Pb fractionation and timing of late Archan high-grade metamorphism in the Saglek–Hebron segment of the North Atlantic Craton, 93 (1999) 281

Craton
Chronological correlations between the Pilbara and Kaapvaal cratons, 97 (1999) 165

Crustal assimilation
Assimilation–fractional crystallization origin of Archean Sanukitoid Suites: Western Superior Province, Canada, 96 (1999) 83

Crustal evolution
Neoproterozoic to Early Cambrian Crustal Evolution of the Pan-African Saldania Belt, South Africa, 97 (1999) 303

Crustal fragmentation
Transpressive tectonism in the eastern Penokean orogen, Canada. Consequences for Proterozoic crustal kinematics and continental fragmentation, 93 (1999) 51

Crustal growth rates
Sea level changes and the continental freeboard concept: general principles and application to the Precambrian, 97 (1999) 143

Cyanobacteria
Paleobiological significance of hydrophobicity and adhesion of phototrophic bacteria from microbial mats, 96 (1999) 25

Decollement
Geology, geochronology and emplacement structures associated with the Jimbu Microgranite, McArthur Basin, Northern Territory, 94 (1999) 225

Decompression reactions
Petrology and *P–T* history of the Wutai amphibolites: implications for tectonic evolution of the Wutai Complex, China, 93 (1999) 181

Deformation
Petrology and *P–T* history of the Wutai amphibolites: implications for tectonic evolution of the Wutai Complex, China, 93 (1999) 181

Detrital
U–Pb and Pb–Pb isotopic studies relating to the origin of gold mineralization in the Evander Goldfield, Witwatersrand Basin, South Africa, 95 (1999) 167

Dikes
^{40}Ar–^{39}Ar and Rb–Sr geochronology of the Uruguayan dike swarm, Rio de la Plata Craton and implications for Proterozoic intraplate activity in western Gondwana, 93 (1999) 153
Paleomagnetism of 2.44 Ga mafic dykes in Russian Karelia, eastern Fennoscandian Shield — implications for continental reconstructions, 98 (1999) 197

Dongjia Formation
Organic-walled microfossils of Neoproterozoic Dongjia Formation, Lushan County, Henan Province, North China, 94 (1999) 121

(Early) Archaean
Growth fault control of Early Archaean cherts, barite mounds and chert-barite veins, North Pole Dome, Eastern Pilbara, Western Australia, 95 (1999) 247

Early Archan crustal evolution
Early Archan U/Pb fractionation and timing of late Archan high-grade metamorphism in the Saglek–Hebron segment of the North Atlantic Craton, 93 (1999) 281

Early extension
Geochemistry and geodynamic setting of volcanic and plutonic rocks associated with Early Archaean volcanogenic massive sulphide mineralization, Pilbara Craton, 98 (1998) 243

Early life
Nitrogen isotope ratios of kerogens in Precambrian cherts: a record of the evolution of atmosphere chemistry?, 96 (1999) 63

East African Orogen
Tectono-metamorphic history of Neoproterozoic rocks in eastern Eritrea, 98 (1999) 83

Emplacement
Geology, geochronology and emplacement structures associated with the Jimbu Microgranite, McArthur Basin, Northern Territory, 94 (1999) 225

Ethiopia
Geochemistry of low-grade metavolcanic rocks from the Pan-African of the Axum area, northern Ethiopia, 96 (1999) 101

Eustacy
The auriferous Late Archaean Central Rand Group of South Africa: sea-level control of sedimentation?, 97 (1999) 191

Exhumation
Timing of exhumation of a high-pressure mafic granulite terrane of the Paleoproterozoic Ubende belt (West Tanzania), 93 (1999) 119

Fennoscandia
Paleomagnetism of 2.44 Ga mafic dykes in Russian Karelia, eastern Fennoscandian Shield — implications for continental reconstructions, 98 (1999) 197
Palaeomagnetism of the Palaeoproterozoic ultramafic intrusion near Lake Konchozero, Southern Karelia, Russia, 93 (1999) 201

Fennoscandian Shield
The origin of rapakivi texture by sub-isothermal decompression, 95 (1999) 129
Application of the parasequence concept to the Paleoproterozoic record of the northern Fennoscandian Shield, 97 (1999) 253

Finland
The Proterozoic Ahvenisto rapakivi granite–massif-type anorthosite complex, southeastern Finland; petrography and U–Pb chronology, 95 (1999) 89
The origin of rapakivi texture by sub-isothermal decompression, 95 (1999) 129

Flood basalts
Characterization of fluvial deposits interbedded with flood basalts, Neoproterozoic Catoctin Formation, Central Appalachians, USA, 97 (1999) 115

Fluvial sedimentation
Characterization of fluvial deposits interbedded with flood basalts, Neoproterozoic Catoctin Formation, Central Appalachians, USA, 97 (1999) 115

Fold belts
Tectonics of the southern portion of the Ribeira Belt (Apiaí Domain), 98 (1999) 31

Freeboard
Sea level changes and the continental freeboard concept: general principles and application to the Precambrian, 97 (1999) 143
Neoproterozoic to Early Cambrian Crustal Evolution of the Pan-African Saldania Belt, South Africa, 97 (1999) 303

1.4 Ga
Sveconorwegian (-Grenvillian) deformation, metamorphism and leucosome formation in SW Sweden, SW Baltic Shield: constraints from a Mesoproterozoic granite intrusion, 98 (1999) 151

Gaoyuzhuang Formation
Microfossil populations in the context of synsedimentary micrite deposition and acicular carbonate precipitation: Mesoproterozoic Gaoyuzhuang Formation, China, 96 (1999) 183

Garnetiferous enderbites
The Nilgiri enderbites, South India: nature and age constraints on protolith formation, high-grade metamorphism and cooling history, 98 (1999) 129

Geochemistry
Rapakivi granites and related rocks: an introduction, 95 (1999) 1

An extensive, crustally-derived, 3325 to 3310 Ma silicic volcanoplutonic suite in the eastern Pilbara Craton: evidence from the Kelly Belt, McPhee Dome and Corunna Downs Batholith, 96 (1999) 41
The nature of the Archean upper crust as revealed by the geochemistry of the Proterozoic shales of the Kaladgi basin, Karnataka, southern India, 98 (1999) 53
Geochemical and U–Pb zircon geochronological constraints on the development of a Late Archean greenstone belt at Birch Lake, Superior Province, Canada, 97 (1999) 77
Assimilation–fractional crystallization origin of Archean Sanukitoid Suites: Western Superior Province, Canada, 96 (1999) 83
The Nilgiri enderbites, South India: nature and age constraints on protolith formation, high-grade metamorphism and cooling history, 98 (1999) 129
The Archaean Ravensthorpe Terrane, Western Australia: synvolcanic Cu–Au mineralization in a deformed island arc complex, 96 (1999) 143
Geology, geochemistry, age and geotectonic evolution of the Dala granitoids, central Sweden, 95 (1999) 147
Trace element systematics of ultramafic and mafic volcanic rocks from the 3 Ga North Caribou greenstone belt, northwestern Superior Province, 93 (1999) 257

Geochronology
Rapakivi granites from Brazil and adjacent areas, 95 (1999) 9
New constraints on the evolution of the Mallina Basin, and their bearing on relationships between the contrasting eastern and western granite–greenstone terranes of the Archaean Pilbara Craton, Western Australia, 94 (1999) 11
An extensive, crustally-derived, 3325 to 3310 Ma silicic volcanoplutonic suite in the eastern Pilbara Craton: evidence from the Kelly Belt, McPhee Dome and Corunna Downs Batholith, 96 (1999) 41
Mesoproterozoic rapakivi granites of the Rondônia Tin Province, southwestern border of the Amazonian craton, Brazil — I. Reconnaissance U–Pb geochronology and regional implications, 95 (1999) 41
Late thermal evolution of Proterozoic rocks in the northeastern Llano Uplift, central Texas, 94 (1999) 49
U–Pb and $^{40}Ar/^{39}Ar$ geochronological constraints on the tectonic evolution of the easternmost part of the Zambezi orogenic belt, northeast Zimbabwe, 98 (1999) 67
Geochemical and U–Pb zircon geochronological constraints on the development of a Late Archean greenstone belt at Birch Lake, Superior Province, Canada, 97 (1999) 77
The Proterozoic Ahvenisto rapakivi granite–massif-type anorthosite complex, southeastern Finland; petrography and U–Pb chronology, 95 (1999) 89
Absolute (U–Pb) and relative age determinations of intrusive rocks in the Ragunda rapakivi complex, central Sweden, 95 (1999) 109
The Nilgiri enderbites, South India: nature and age constraints on protolith formation, high-grade metamorphism and cooling history, 98 (1999) 129
Geology, geochronology and emplacement structures associated with the Jimbu Microgranite, McArthur Basin, Northern Territory, 94 (1999) 225
Sm–Nd, Rb–Sr and U–Pb geochronology of a Grenville Terrane in Southern Mexico: origin and geologic history of the Guichicovi Complex, 96 (1999) 245
Single zircon ages for granitoid gneisses in the Central Zone of the Limpopo Belt, Southern Africa and geodynamic significance, 93 (1999) 299

Geodynamics
A 2.7 Ga depleted tholeiite suite: evidence of plume-arc interaction in the Abitibi Greenstone Belt, Canada, 97 (1999) 27

Geothermobarometry
Tectono-metamorphic history of Neoproterozoic rocks in eastern Eritrea, 98 (1999) 83
The origin of rapakivi texture by sub-isothermal decompression, 95 (1999) 129

Ghana
The metamorphic evolution of the Paleoproterozoic (Birimian) volcanic Ashanti belt (Ghana, West Africa), 98 (1999) 11

Glaciogenic Luoquan Formation
Organic-walled microfossils of Neoproterozoic Dongjia Formation, Lushan County, Henan Province, North China, 94 (1999) 121

Gold
U–Pb and Pb–Pb isotopic studies relating to the origin of gold mineralization in the Evander Goldfield, Witwatersrand Basin, South Africa, 95 (1999) 167

Gondwana
Tectono-metamorphic history of Neoproterozoic rocks in eastern Eritrea, 98 (1999) 83
^{40}Ar–^{39}Ar and Rb–Sr geochronology of the Uruguayan dike swarm, Rio de la Plata Craton and implications for Proterozoic intraplate activity in western Gondwana, 93 (1999) 153

Gondwana accretion
Late Precambrian metamorphism and cooling in the Arabian– Nubian Shield: $^{40}Ar/^{39}Ar$ geochronology of metamorphic rocks of the Elat area (southern Israel), 98 (1999) 107

Gothian orogen
Timing and characterization of recurrent pre-

Sveconorwegian metamorphism and deformation in the Varberg–Halmstad region of SW Sweden, 98 (1999) 173

Granite
An extensive, crustally-derived, 3325 to 3310 Ma silicic volcanoplutonic suite in the eastern Pilbara Craton: evidence from the Kelly Belt, McPhee Dome and Corunna Downs Batholith, 96 (1999) 41

Granite–greenstone
Chronological correlations between the Pilbara and Kaapvaal cratons, 97 (1999) 165

Granite deformation
Sveconorwegian (-Grenvillian) deformation, metamorphism and leucosome formation in SW Sweden, SW Baltic Shield: constraints from a Mesoproterozoic granite intrusion, 98 (1999) 151

Granites
U–Pb zircon ages of granites from the southern margin of the Yangtze Block: timing of Neoproterozoic Jinning: Orogeny in SE China and implications for Rodinia Assembly, 97 (1999) 43
U–Pb ages on titanite and apatite from the Darling Range granite: implications for Late Archaean history of the southwestern Yilgarn Craton, 96 (1999) 125

Granitoid gneisses
Single zircon ages for granitoid gneisses in the Central Zone of the Limpopo Belt, Southern Africa and geodynamic significance, 93 (1999) 299

Granitoids
Sm–Nd isotope evidence of a collisional event in the Precambrian of northern Sweden, 93 (1999) 105

Granulite
Sm–Nd, Rb–Sr and U–Pb geochronology of a Grenville Terrane in Southern Mexico: origin and geologic history of the Guichicovi Complex, 96 (1999) 245

Granulite facies metamorphism
Exhumation of Limpopo Central Zone granulites and dextral continent-scale transcurrent movement at 2.0 Ga along the Palala Shear Zone, Northern Province, South Africa, 96 (1999) 263

Granulite metamorphism
Single zircon ages for granitoid gneisses in the Central Zone of the Limpopo Belt, Southern Africa and geodynamic significance, 93 (1999) 299

Granulites
U–Pb geochronology, geochemistry, and provenance of the Grenvillian Huiznopala Gneiss of Eastern Mexico, 94 (1999) 73

Great Lakes tectonic zone
Transpressive tectonism in the eastern Penokean orogen, Canada. Consequences for Proterozoic crustal kinematics and continental fragmentation, 93 (1999) 51

Greenland
Organic-walled microfossils from the Proterozoic Thule Supergroup, Northwest Greenland, 96 (1999) 1
Thrust stacking in the inner Nordre Strømfjord area, West Greenland. Significance for the tectonic evolution of the Palaeoproterozoic Nagssugtoqidian orogen, 93 (1999) 71
Geochemistry and tectonic significance of peridotitic and metakomatiitic rocks from the Ussuit area, Nagssugtoqidian orogen, West Greenland, 94 (1999) 101

Greenschist facies
Petrology and *P–T* history of the Wutai amphibolites: implications for tectonic evolution of the Wutai Complex, China, 93 (1999) 181

Greenstone
New constraints on the evolution of the Mallina Basin, and their bearing on relationships between the contrasting eastern and western granite–greenstone terranes of the Archaean Pilbara Craton, Western Australia, 94 (1999) 11

Greenstone belt
The Archaean Ravensthorpe Terrane, Western Australia: synvolcanic Cu–Au mineralization in a deformed island arc complex, 96 (1999) 143
Tensile and compressive growth structures: relationships between sedimentation, deformation and granite intrusion in the Archaean, 95 (1999) 277

Grenville-orogeny
Sm–Nd, Rb–Sr and U–Pb geochronology of a Grenville Terrane in Southern Mexico: origin and geologic history of the Guichicovi Complex, 96 (1999) 245

Grenville orogeny
U–Pb geochronology, geochemistry, and provenance of the Grenvillian Huiznopala Gneiss of Eastern Mexico, 94 (1999) 73

Growth structures
Tensile and compressive growth structures: relationships between sedimentation, deformation and granite intrusion in the Archaean, 95 (1999) 277

Hearne province
Crustal evolution and age of thermotectonic reworking in the western hinterland of the Trans-Hudson Orogen, northern Saskatchewan, 95 (1999) 187

High-grade metamorphism
Early Archan U/Pb fractionation and timing of late Archan high-grade metamorphism in the Saglek–Hebron segment of the North Atlantic Craton, 93 (1999) 281

High-pressure
Metamorphic evolution of the Precambrian South Badakhshan block, based on mineral reactions in metapelites and metabasites associated with whitesch-ists from Sare Sang (Western Hindu Kush, Afghanistan), 98 (1999) 223

High-pressure granulites
Timing of exhumation of a high-pressure mafic granulite terrane of the Paleoproterozoic Ubende belt (West Tanzania), 93 (1999) 119

High-pressure metamorphism
Neoproterozoic high-pressure metamorphism and tectonic constraint from the nappe system south of the São Francisco Craton, southeast Brazil, 97 (1999) 3

Hydrophobicity
Paleobiological significance of hydrophobicity and adhesion of phototrophic bacteria from microbial mats, 96 (1999) 25

I-type granites
Geology, geochemistry, age and geotectonic evolution of the Dala granitoids, central Sweden, 95 (1999) 147

Incised valleys
The auriferous Late Archaean Central Rand Group of South Africa: sea-level control of sedimentation?, 97 (1999) 191

Indentation
Transpressive tectonism in the eastern Penokean orogen, Canada. Consequences for Proterozoic crustal kinematics and continental fragmentation, 93 (1999) 51

India
Organic-walled microfossils from the Chert–phosphorite Member, Tal Formation, Precambrian–Cambrian Boundary, India, 97 (1999) 99
$^{207}Pb/^{206}Pb$ zircon ages and the evolution of the Singhbhum Craton, eastern India: an ion microprobe study, 93 (1999) 139

Inherited inclusions
Early Archan U/Pb fractionation and timing of late Archan high-grade metamorphism in the Saglek–Hebron segment of the North Atlantic Craton, 93 (1999) 281

Intensive parameter
The origin of rapakivi texture by sub-isothermal decompression, 95 (1999) 129

Internal magnetic structure
Absolute (U–Pb) and relative age determinations of intrusive rocks in the Ragunda rapakivi complex, central Sweden, 95 (1999) 109

Ion microprobe
$^{207}Pb/^{206}Pb$ zircon ages and the evolution of the Singhbhum Craton, eastern India: an ion microprobe study, 93 (1999) 139

Island arc
The Archaean Ravensthorpe Terrane, Western Australia: synvolcanic Cu–Au mineralization in a deformed island arc complex, 96 (1999) 143

Island arcs
A 2.7 Ga depleted tholeiite suite: evidence of plume-arc interaction in the Abitibi Greenstone Belt, Canada, 97 (1999) 27

Isostatic root recovery
Tectono-metamorphic history of Neoproterozoic rocks in eastern Eritrea, 98 (1999) 83

Isotope
Sm–Nd, Rb–Sr and U–Pb geochronology of a Grenville Terrane in Southern Mexico: origin and geologic history of the Guichicovi Complex, 96 (1999) 245

Isotopes
Assimilation–fractional crystallization origin of Archean Sanukitoid Suites: Western Superior Province, Canada, 96 (1999) 83

Isotopic age
Rapakivi granites and related rocks: an introduction, 95 (1999) 1

Israel
Late Precambrian metamorphism and cooling in the Arabian– Nubian Shield: $^{40}Ar/^{39}Ar$ geochronology of metamorphic rocks of the Elat area (southern Israel), 98 (1999) 107

Kaapvaal
Chronological correlations between the Pilbara and Kaapvaal cratons, 97 (1999) 165

Kaladgi Supergroup
The nature of the Archean upper crust as revealed by the geochemistry of the Proterozoic shales of the Kaladgi basin, Karnataka, southern India, 98 (1999) 53

Kapuskasing structural zone
Transpressive tectonism in the eastern Penokean orogen, Canada. Consequences for Proterozoic crustal kinematics and continental fragmentation, 93 (1999) 51

Kerogen
Nitrogen isotope ratios of kerogens in Precambrian cherts: a record of the evolution of atmosphere chemistry?, 96 (1999) 63

Komatiite
Trace element systematics of ultramafic and mafic volcanic rocks from the 3 Ga North Caribou greenstone belt, northwestern Superior Province, 93 (1999) 257

Kyanite granulite
Neoproterozoic high-pressure metamorphism and tectonic constraint from the nappe system south of the São Francisco Craton, southeast Brazil, 97 (1999) 3

Laser microprobe
Sulfur isotope evidence for the origin of 3.4 to 3.1 Ga pyrite at the Princeton gold mine, Barberton Greenstone Belt, South Africa, 96 (1999) 209

Lesser Himalaya
Organic-walled microfossils from the Chert–phosphorite Member, Tal Formation, Precambrian–Cambrian Boundary, India, 97 (1999) 99

Limpopo Belt
Exhumation of Limpopo Central Zone granulites and dextral continent-scale transcurrent movement at 2.0 Ga along the Palala Shear Zone, Northern Province, South Africa, 96 (1999) 263
Single zircon ages for granitoid gneisses in the Central Zone of the Limpopo Belt, Southern Africa and geodynamic significance, 93 (1999) 299

Llano Uplift
Late thermal evolution of Proterozoic rocks in the northeastern Llano Uplift, central Texas, 94 (1999) 49

Magma mingling
Absolute (U–Pb) and relative age determinations of intrusive rocks in the Ragunda rapakivi complex, central Sweden, 95 (1999) 109

Magma mixing/mingling
Interaction between coeval mafic and felsic melts in the St. Francois Terrane of Missouri, USA, 95 (1999) 69

Mallina Basin
New constraints on the evolution of the Mallina Basin, and their bearing on relationships between the contrasting eastern and western granite–greenstone terranes of the Archaean Pilbara Craton, Western Australia, 94 (1999) 11

Mantle plumes
A 2.7 Ga depleted tholeiite suite: evidence of plume-arc interaction in the Abitibi Greenstone Belt, Canada, 97 (1999) 27

McArthur Basin
Geology, geochronology and emplacement structures associated with the Jimbu Microgranite, McArthur Basin, Northern Territory, 94 (1999) 225

Mesoproterozic
U–Pb geochronology, geochemistry, and provenance of the Grenvillian Huiznopala Gneiss of Eastern Mexico, 94 (1999) 73

Mesoproterozoic
Microfossil populations in the context of synsedimentary micrite deposition and acicular carbonate precipitation: Mesoproterozoic Gaoyuzhuang Formation, China, 96 (1999) 183

Mesoproterozoic evolution
Timing and characterization of recurrent pre-Sveconorwegian metamorphism and deformation in the Varberg–Halmstad region of SW Sweden, 98 (1999) 173

Meta-komatiite
Geochemistry and tectonic significance of peridotitic and metakomatiitic rocks from the Ussuit area, Nagssugtoqidian orogen, West Greenland, 94 (1999) 101

Meta-peridotite
Geochemistry and tectonic significance of peridotitic and metakomatiitic rocks from the Ussuit area, Nagssugtoqidian orogen, West Greenland, 94 (1999) 101

Metabasite
Metamorphic evolution of the Precambrian South Badakhshan block, based on mineral reactions in metapelites and metabasites associated with whitesch-

ists from Sare Sang (Western Hindu Kush, Afghanistan), 98 (1999) 223

Metamorphic evolution
P–T–t evolution of the Wilson Terrane metamorphic basement at Oates Coast, Antarctica, 93 (1999) 235

Metamorphism
The metamorphic evolution of the Paleoproterozoic (Birimian) volcanic Ashanti belt (Ghana, West Africa), 98 (1999) 11
Late thermal evolution of Proterozoic rocks in the northeastern Llano Uplift, central Texas, 94 (1999) 49
Late Precambrian metamorphism and cooling in the Arabian–Nubian Shield: $^{40}Ar/^{39}Ar$ geochronology of metamorphic rocks of the Elat area (southern Israel), 98 (1999) 107
Petrology and *P–T* history of the Wutai amphibolites: implications for tectonic evolution of the Wutai Complex, China, 93 (1999) 181

Metapelite
Metamorphic evolution of the Precambrian South Badakhshan block, based on mineral reactions in metapelites and metabasites associated with whiteschists from Sare Sang (Western Hindu Kush, Afghanistan), 98 (1999) 223

Mexico
U–Pb geochronology, geochemistry, and provenance of the Grenvillian Huiznopala Gneiss of Eastern Mexico, 94 (1999) 73
Sm–Nd, Rb–Sr and U–Pb geochronology of a Grenville Terrane in Southern Mexico: origin and geologic history of the Guichicovi Complex, 96 (1999) 245

Microbial fossils
Microfossil populations in the context of synsedimentary micrite deposition and acicular carbonate precipitation: Mesoproterozoic Gaoyuzhuang Formation, China, 96 (1999) 183

Microbial mats
Paleobiological significance of hydrophobicity and adhesion of phototrophic bacteria from microbial mats, 96 (1999) 25

Microfossils
Paleobiological significance of hydrophobicity and adhesion of phototrophic bacteria from microbial mats, 96 (1999) 25
Microfossil populations in the context of synsedimentary micrite deposition and acicular carbonate precipitation: Mesoproterozoic Gaoyuzhuang Formation, China, 96 (1999) 183

Microgranite
Geology, geochronology and emplacement structures associated with the Jimbu Microgranite, McArthur Basin, Northern Territory, 94 (1999) 225

Mineralization
The Archaean Ravensthorpe Terrane, Western Australia: synvolcanic Cu–Au mineralization in a deformed island arc complex, 96 (1999) 143

Monazite
The Terre Adélie basement in the East-Antarctica Shield: geological and isotopic evidence for a major 1.7 Ga thermal event; comparison with the Gawler Craton in South Australia, 94 (1999) 205

Mozambique belt
U–Pb and $^{40}Ar/^{39}Ar$ geochronological constraints on the tectonic evolution of the easternmost part of the Zambezi orogenic belt, northeast Zimbabwe, 98 (1999) 67

Murray fault
Transpressive tectonism in the eastern Penokean orogen, Canada. Consequences for Proterozoic crustal kinematics and continental fragmentation, 93 (1999) 51

Nagssugtoqidian orogen
Thrust stacking in the inner Nordre Strømfjord area, West Greenland. Significance for the tectonic evolution of the Palaeoproterozoic Nagssugtoqidian orogen, 93 (1999) 71
Geochemistry and tectonic significance of peridotitic and metakomatiitic rocks from the Ussuit area, Nagssugtoqidian orogen, West Greenland, 94 (1999) 101

Nappe system
Neoproterozoic high-pressure metamorphism and tectonic constraint from the nappe system south of the São Francisco Craton, southeast Brazil, 97 (1999) 3

Nascent back-arc
Geochemistry and geodynamic setting of volcanic and plutonic rocks associated with Early Archaean volcanogenic massive sulphide mineralization, Pilbara Craton, 98 (1998) 243

Neoproterozoic
Palaeomagnetic study of Neoproterozoic glacial rocks of the Yangzi Block: palaeolatitude and configuration of South China in the late Proterozoic Supercontinent, 94 (1999) 1

Palaeomagnetic study of Neoproterozoic glacial rocks of the Yangzi Block: palaeolatitude and configuration of South China in the late Proterozoic Supercontinent, 94 (1999) 7
U–Pb zircon ages of granites from the southern margin of the Yangtze Block: timing of Neoproterozoic Jinning: Orogeny in SE China and implications for Rodinia Assembly, 97 (1999) 43
Tectono-metamorphic history of Neoproterozoic rocks in eastern Eritrea, 98 (1999) 83
Characterization of fluvial deposits interbedded with flood basalts, Neoproterozoic Catoctin Formation, Central Appalachians, USA, 97 (1999) 115
Organic-walled microfossils of Neoproterozoic Dongjia Formation, Lushan County, Henan Province, North China, 94 (1999) 121
Variations in Sr and C isotopes and Ce anomalies in successions from China: evidence for the oxygenation of Neoproterozoic seawater?, 93 (1999) 215
Neoproterozoic to Early Cambrian Crustal Evolution of the Pan-African Saldania Belt, South Africa, 97 (1999) 303

Nilgiri granulite terrain
The Nilgiri enderbites, South India: nature and age constraints on protolith formation, high-grade metamorphism and cooling history, 98 (1999) 129

Nitrogen isotopes
Nitrogen isotope ratios of kerogens in Precambrian cherts: a record of the evolution of atmosphere chemistry?, 96 (1999) 63

North Atlantic Craton
Early Archan U/Pb fractionation and timing of late Archan high-grade metamorphism in the Saglek–Hebron segment of the North Atlantic Craton, 93 (1999) 281

North China
Organic-walled microfossils of Neoproterozoic Dongjia Formation, Lushan County, Henan Province, North China, 94 (1999) 121

Northern Saskatchewan
Crustal evolution and age of thermotectonic reworking in the western hinterland of the Trans-Hudson Orogen, northern Saskatchewan, 95 (1999) 187

North Pole Chert
Growth fault control of Early Archaean cherts, barite mounds and chert-barite veins, North Pole Dome, Eastern Pilbara, Western Australia, 95 (1999) 247

Oates Coast
P–T–t evolution of the Wilson Terrane metamorphic basement at Oates Coast, Antarctica, 93 (1999) 235

Oaxaquia
Sm–Nd, Rb–Sr and U–Pb geochronology of a Grenville Terrane in Southern Mexico: origin and geologic history of the Guichicovi Complex, 96 (1999) 245

Organic-walled microfossils
Organic-walled microfossils from the Chert–phosphorite Member, Tal Formation, Precambrian–Cambrian Boundary, India, 97 (1999) 99

Orogeny
Tectonics of the southern portion of the Ribeira Belt (Apiaí Domain), 98 (1999) 31

Oscillating baylines
The auriferous Late Archaean Central Rand Group of South Africa: sea-level control of sedimentation?, 97 (1999) 191

Palaeomagnetism
Palaeomagnetic study of Neoproterozoic glacial rocks of the Yangzi Block: palaeolatitude and configuration of South China in the late Proterozoic Supercontinent, 94 (1999) 1
Palaeomagnetic study of Neoproterozoic glacial rocks of the Yangzi Block: palaeolatitude and configuration of South China in the late Proterozoic Supercontinent, 94 (1999) 7
Palaeomagnetism of the Palaeoproterozoic ultramafic intrusion near Lake Konchozero, Southern Karelia, Russia, 93 (1999) 201

Palaeopangaea
Palaeomagnetic study of Neoproterozoic glacial rocks of the Yangzi Block: palaeolatitude and configuration of South China in the late Proterozoic Supercontinent, 94 (1999) 7

Palaeoproterozoic
Thrust stacking in the inner Nordre Strømfjord area, West Greenland. Significance for the tectonic evolution of the Palaeoproterozoic Nagssugtoqidian orogen, 93 (1999) 71
Geochemistry and tectonic significance of peridotitic and metakomatiitic rocks from the Ussuit area, Nagssugtoqidian orogen, West Greenland, 94 (1999) 101
Palaeomagnetism of the Palaeoproterozoic ultramafic intrusion near Lake Konchozero, Southern Karelia, Russia, 93 (1999) 201
Depositional age and provenance of the Marboo Formation from SHRIMP U–Pb zircon geochronol-

ogy: Implications for the early Palaeoproterozoic tectonic evolution of the Kimberley region, Western Australia, 95 (1999) 225

Paleogeography
Spatial and temporal variations in carbon and sulfur isotopic compositions of Sinian sedimentary rocks in the Yangtze platform, South China, 97 (1999) 59

Paleomagnetism
Paleomagnetism of 2.44 Ga mafic dykes in Russian Karelia, eastern Fennoscandian Shield — implications for continental reconstructions, 98 (1999) 197

Paleoproterozoic
Timing of exhumation of a high-pressure mafic granulite terrane of the Paleoproterozoic Ubende belt (West Tanzania), 93 (1999) 119
Paleomagnetism of 2.44 Ga mafic dykes in Russian Karelia, eastern Fennoscandian Shield — implications for continental reconstructions, 98 (1999) 197
The Terre Adélie basement in the East-Antarctica Shield: geological and isotopic evidence for a major 1.7 Ga thermal event; comparison with the Gawler Craton in South Australia, 94 (1999) 205

Pan-African
Geochemistry of low-grade metavolcanic rocks from the Pan-African of the Axum area, northern Ethiopia, 96 (1999) 101

Pan-African orogenesis
U–Pb and $^{40}Ar/^{39}Ar$ geochronological constraints on the tectonic evolution of the easternmost part of the Zambezi orogenic belt, northeast Zimbabwe, 98 (1999) 67

Pb–Pb
U–Pb and Pb–Pb isotopic studies relating to the origin of gold mineralization in the Evander Goldfield, Witwatersrand Basin, South Africa, 95 (1999) 167

Pb isotopes
Early Archan U/Pb fractionation and timing of late Archan high-grade metamorphism in the Saglek–Hebron segment of the North Atlantic Craton, 93 (1999) 281

Penokean
Transpressive tectonism in the eastern Penokean orogen, Canada. Consequences for Proterozoic crustal kinematics and continental fragmentation, 93 (1999) 51

Petrogenesis
Rapakivi granites and related rocks: an introduction, 95 (1999) 1
Assimilation–fractional crystallization origin of Archean Sanukitoid Suites: Western Superior Province, Canada, 96 (1999) 83
Geochemistry and geodynamic setting of volcanic and plutonic rocks associated with Early Archaean volcanogenic massive sulphide mineralization, Pilbara Craton, 98 (1998) 243

Petrography
The Proterozoic Ahvenisto rapakivi granite–massif-type anorthosite complex, southeastern Finland; petrography and U–Pb chronology, 95 (1999) 89
Influence of tectonism and climate on lithofacies distribution and sandstone and conglomerate composition in the Archean Beaulieu Rapids Formation, Northwest Territories, Canada, 94 (1999) 175

Petrology
Rapakivi granites from Brazil and adjacent areas, 95 (1999) 9

Phanerozoic processes
Geochemistry and geodynamic setting of volcanic and plutonic rocks associated with Early Archaean volcanogenic massive sulphide mineralization, Pilbara Craton, 98 (1998) 243

Pilbara
Chronological correlations between the Pilbara and Kaapvaal cratons, 97 (1999) 165

Pilbara Craton
An extensive, crustally-derived, 3325 to 3310 Ma silicic volcanoplutonic suite in the eastern Pilbara Craton: evidence from the Kelly Belt, McPhee Dome and Corunna Downs Batholith, 96 (1999) 41
Geochemistry and geodynamic setting of volcanic and plutonic rocks associated with Early Archaean volcanogenic massive sulphide mineralization, Pilbara Craton, 98 (1998) 243
Growth fault control of Early Archaean cherts, barite mounds and chert-barite veins, North Pole Dome, Eastern Pilbara, Western Australia, 95 (1999) 247

Pilbara, Western Australia
Tensile and compressive growth structures: relationships between sedimentation, deformation and granite intrusion in the Archaean, 95 (1999) 277

Plate tectonics
Depositional age and provenance of the Marboo Formation from SHRIMP U–Pb zircon geochronology: Implications for the early Palaeoproterozoic tectonic evolution of the Kimberley region, Western Australia, 95 (1999) 225

Plutons
Geology, geochronology and emplacement structures

associated with the Jimbu Microgranite, McArthur Basin, Northern Territory, 94 (1999) 225

Polyphase deformation
Exhumation of Limpopo Central Zone granulites and dextral continent-scale transcurrent movement at 2.0 Ga along the Palala Shear Zone, Northern Province, South Africa, 96 (1999) 263

Precambrian
Paleobiological significance of hydrophobicity and adhesion of phototrophic bacteria from microbial mats, 96 (1999) 25
Tectonics of the southern portion of the Ribeira Belt (Apiaí Domain), 98 (1999) 31
Nitrogen isotope ratios of kerogens in Precambrian cherts: a record of the evolution of atmosphere chemistry?, 96 (1999) 63
Sea level changes and the continental freeboard concept: general principles and application to the Precambrian, 97 (1999) 143
Metamorphic evolution of the Precambrian South Badakhshan block, based on mineral reactions in metapelites and metabasites associated with whiteschists from Sare Sang (Western Hindu Kush, Afghanistan), 98 (1999) 223
Application of the parasequence concept to the Paleoproterozoic record of the northern Fennoscandian Shield, 97 (1999) 253

Precambrian–Cambrian Boundary
Organic-walled microfossils from the Chert–phosphorite Member, Tal Formation, Precambrian–Cambrian Boundary, India, 97 (1999) 99

Precipitates
Microfossil populations in the context of synsedimentary micrite deposition and acicular carbonate precipitation: Mesoproterozoic Gaoyuzhuang Formation, China, 96 (1999) 183

Preservation
Paleobiological significance of hydrophobicity and adhesion of phototrophic bacteria from microbial mats, 96 (1999) 25

Princeton mine
Sulfur isotope evidence for the origin of 3.4 to 3.1 Ga pyrite at the Princeton gold mine, Barberton Greenstone Belt, South Africa, 96 (1999) 209

Proterozoic
Organic-walled microfossils from the Proterozoic Thule Supergroup, Northwest Greenland, 96 (1999) 1
Rapakivi granites from Brazil and adjacent areas, 95 (1999) 9
Tectonics of the southern portion of the Ribeira Belt (Apiaí Domain), 98 (1999) 31
Late thermal evolution of Proterozoic rocks in the northeastern Llano Uplift, central Texas, 94 (1999) 49
Sm–Nd isotope evidence of a collisional event in the Precambrian of northern Sweden, 93 (1999) 105
^{40}Ar–^{39}Ar and Rb–Sr geochronology of the Uruguayan dike swarm, Rio de la Plata Craton and implications for Proterozoic intraplate activity in western Gondwana, 93 (1999) 153
The Archaean–Proterozoic Palaeoboundary in the Luleå area, northern Sweden: field and isotope geochemical evidence for a sharp terrane boundary, 96 (1999) 225
Exhumation of Limpopo Central Zone granulites and dextral continent-scale transcurrent movement at 2.0 Ga along the Palala Shear Zone, Northern Province, South Africa, 96 (1999) 263
The 2.7–2.0 Ga volcano-sedimentary record of Africa, India and Australia: evidence for global and local changes in sea level and continental freeboard, 97 (1999) 269

Protolith nature
The Nilgiri enderbites, South India: nature and age constraints on protolith formation, high-grade metamorphism and cooling history, 98 (1999) 129

Provenance
The nature of the Archean upper crust as revealed by the geochemistry of the Proterozoic shales of the Kaladgi basin, Karnataka, southern India, 98 (1999) 53
Depositional age and provenance of the Marboo Formation from SHRIMP U–Pb zircon geochronology: Implications for the early Palaeoproterozoic tectonic evolution of the Kimberley region, Western Australia, 95 (1999) 225

Pyrite
U–Pb and Pb–Pb isotopic studies relating to the origin of gold mineralization in the Evander Goldfield, Witwatersrand Basin, South Africa, 95 (1999) 167

Ragunda complex
Absolute (U–Pb) and relative age determinations of intrusive rocks in the Ragunda rapakivi complex, central Sweden, 95 (1999) 109

Rapakivi granite
Rapakivi granites and related rocks: an introduction, 95 (1999) 1
Rapakivi granites from Brazil and adjacent areas, 95 (1999) 9
Mesoproterozoic rapakivi granites of the Rondônia Tin Province, southwestern border of the Amazonian craton, Brazil — I. Reconnaissance U–Pb geochronology and regional implications, 95 (1999) 41

The Proterozoic Ahvenisto rapakivi granite–massif-type anorthosite complex, southeastern Finland; petrography and U–Pb chronology, 95 (1999) 89
Absolute (U–Pb) and relative age determinations of intrusive rocks in the Ragunda rapakivi complex, central Sweden, 95 (1999) 109
The origin of rapakivi texture by sub-isothermal decompression, 95 (1999) 129

Rapakivi texture
Rapakivi granites and related rocks: an introduction, 95 (1999) 1
The origin of rapakivi texture by sub-isothermal decompression, 95 (1999) 129

Reconstruction
Paleomagnetism of 2.44 Ga mafic dykes in Russian Karelia, eastern Fennoscandian Shield — implications for continental reconstructions, 98 (1999) 197

Rhyolite
An extensive, crustally-derived, 3325 to 3310 Ma silicic volcanoplutonic suite in the eastern Pilbara Craton: evidence from the Kelly Belt, McPhee Dome and Corunna Downs Batholith, 96 (1999) 41

Ribeira
Tectonics of the southern portion of the Ribeira Belt (Apiaí Domain), 98 (1999) 31

Rift sedimentation
Characterization of fluvial deposits interbedded with flood basalts, Neoproterozoic Catoctin Formation, Central Appalachians, USA, 97 (1999) 115

Rodinia
Palaeomagnetic study of Neoproterozoic glacial rocks of the Yangzi Block: palaeolatitude and configuration of South China in the late Proterozoic Supercontinent, 94 (1999) 1
Palaeomagnetic study of Neoproterozoic glacial rocks of the Yangzi Block: palaeolatitude and configuration of South China in the late Proterozoic Supercontinent, 94 (1999) 7

Rondônia
Mesoproterozoic rapakivi granites of the Rondônia Tin Province, southwestern border of the Amazonian craton, Brazil — I. Reconnaissance U–Pb geochronology and regional implications, 95 (1999) 41

Ross Orogeny
P–T–t evolution of the Wilson Terrane metamorphic basement at Oates Coast, Antarctica, 93 (1999) 235

Russia
Palaeomagnetism of the Palaeoproterozoic ultramafic intrusion near Lake Konchozero, Southern Karelia, Russia, 93 (1999) 201

Saldania Belt
Neoproterozoic to Early Cambrian Crustal Evolution of the Pan-African Saldania Belt, South Africa, 97 (1999) 303

Sea-level fluctuations
The auriferous Late Archaean Central Rand Group of South Africa: sea-level control of sedimentation?, 97 (1999) 191

Sea level
Sea level changes and the continental freeboard concept: general principles and application to the Precambrian, 97 (1999) 143
The 2.7–2.0 Ga volcano-sedimentary record of Africa, India and Australia: evidence for global and local changes in sea level and continental freeboard, 97 (1999) 269

Sedimentation
The nature of the Archean upper crust as revealed by the geochemistry of the Proterozoic shales of the Kaladgi basin, Karnataka, southern India, 98 (1999) 53
Application of the parasequence concept to the Paleoproterozoic record of the northern Fennoscandian Shield, 97 (1999) 253

Sedimentation and tectonics
Growth fault control of Early Archaean cherts, barite mounds and chert-barite veins, North Pole Dome, Eastern Pilbara, Western Australia, 95 (1999) 247
Tensile and compressive growth structures: relationships between sedimentation, deformation and granite intrusion in the Archaean, 95 (1999) 277

Sedimentology
Influence of tectonism and climate on lithofacies distribution and sandstone and conglomerate composition in the Archean Beaulieu Rapids Formation, Northwest Territories, Canada, 94 (1999) 175

Shale
The nature of the Archean upper crust as revealed by the geochemistry of the Proterozoic shales of the Kaladgi basin, Karnataka, southern India, 98 (1999) 53

SHRIMP data
Depositional age and provenance of the Marboo Formation from SHRIMP U–Pb zircon geochronology: Implications for the early Palaeoproterozoic tectonic evolution of the Kimberley region, Western Australia, 95 (1999) 225

Singhbhum Craton
$^{207}Pb/^{206}Pb$ zircon ages and the evolution of the Singhbhum Craton, eastern India: an ion microprobe study, 93 (1999) 139

Sinian
Spatial and temporal variations in carbon and sulfur isotopic compositions of Sinian sedimentary rocks in the Yangtze platform, South China, 97 (1999) 59

Slave Province
Influence of tectonism and climate on lithofacies distribution and sandstone and conglomerate composition in the Archean Beaulieu Rapids Formation, Northwest Territories, Canada, 94 (1999) 175

Sm–Nd
Geochemical and U–Pb zircon geochronological constraints on the development of a Late Archean greenstone belt at Birch Lake, Superior Province, Canada, 97 (1999) 77

Sm–Nd isotopes
Sm–Nd isotope evidence of a collisional event in the Precambrian of northern Sweden, 93 (1999) 105
The Archaean–Proterozoic Palaeoboundary in the Luleå area, northern Sweden: field and isotope geochemical evidence for a sharp terrane boundary, 96 (1999) 225

Sm–Nd systematics
Early Archan U/Pb fractionation and timing of late Archan high-grade metamorphism in the Saglek–Hebron segment of the North Atlantic Craton, 93 (1999) 281

Solid surfaces
Paleobiological significance of hydrophobicity and adhesion of phototrophic bacteria from microbial mats, 96 (1999) 25

South China
Palaeomagnetic study of Neoproterozoic glacial rocks of the Yangzi Block: palaeolatitude and configuration of South China in the late Proterozoic Supercontinent, 94 (1999) 1
Variations in Sr and C isotopes and Ce anomalies in successions from China: evidence for the oxygenation of Neoproterozoic seawater?, 93 (1999) 215

Southeastern China
U–Pb zircon ages of granites from the southern margin of the Yangtze Block: timing of Neoproterozoic Jinning: Orogeny in SE China and implications for Rodinia Assembly, 97 (1999) 43

Southern India
The Nilgiri enderbites, South India: nature and age constraints on protolith formation, high-grade metamorphism and cooling history, 98 (1999) 129

Southern Province
Transpressive tectonism in the eastern Penokean orogen, Canada. Consequences for Proterozoic crustal kinematics and continental fragmentation, 93 (1999) 51

Southwestern Sweden
Protolith ages and timing of deformation in the eastern, marginal part of the Sveconorwegian orogen, southwestern Sweden, 94 (1999) 29

Southwest Scandinavian Domain
Timing and characterization of recurrent pre-Sveconorwegian metamorphism and deformation in the Varberg–Halmstad region of SW Sweden, 98 (1999) 173

Southwest Sweden
Timing and characterization of recurrent pre-Sveconorwegian metamorphism and deformation in the Varberg–Halmstad region of SW Sweden, 98 (1999) 173

Stable carbon and sulfur isotopes
Spatial and temporal variations in carbon and sulfur isotopic compositions of Sinian sedimentary rocks in the Yangtze platform, South China, 97 (1999) 59

St. Francois Mountains
Interaction between coeval mafic and felsic melts in the St. Francois Terrane of Missouri, USA, 95 (1999) 69

Stratigraphy
Influence of tectonism and climate on lithofacies distribution and sandstone and conglomerate composition in the Archean Beaulieu Rapids Formation, Northwest Territories, Canada, 94 (1999) 175
Application of the parasequence concept to the Paleoproterozoic record of the northern Fennoscandian Shield, 97 (1999) 253

Stromatolites
Microfossil populations in the context of synsedimentary micrite deposition and acicular carbonate precipitation: Mesoproterozoic Gaoyuzhuang Formation, China, 96 (1999) 183

Strontium isotope
Variations in Sr and C isotopes and Ce anomalies in successions from China: evidence for the oxygenation of Neoproterozoic seawater?, 93 (1999) 215

Subduction
Geochemistry and geodynamic setting of volcanic and plutonic rocks associated with Early Archaean volca-

nogenic massive sulphide mineralization, Pilbara Craton, 98 (1998) 243

Subvolcanic
Interaction between coeval mafic and felsic melts in the St. Francois Terrane of Missouri, USA, 95 (1999) 69

Sulfate-reducing bacteria
Sulfur isotope evidence for the origin of 3.4 to 3.1 Ga pyrite at the Princeton gold mine, Barberton Greenstone Belt, South Africa, 96 (1999) 209

Supercontinent
Palaeomagnetic study of Neoproterozoic glacial rocks of the Yangzi Block: palaeolatitude and configuration of South China in the late Proterozoic Supercontinent, 94 (1999) 7

Supercontinents
Sea level changes and the continental freeboard concept: general principles and application to the Precambrian, 97 (1999) 143

Superior Province
Transpressive tectonism in the eastern Penokean orogen, Canada. Consequences for Proterozoic crustal kinematics and continental fragmentation, 93 (1999) 51
Geochemical and U–Pb zircon geochronological constraints on the development of a Late Archean greenstone belt at Birch Lake, Superior Province, Canada, 97 (1999) 77

Svecofennian orogeny
The Archaean–Proterozoic Palaeoboundary in the Luleå area, northern Sweden: field and isotope geochemical evidence for a sharp terrane boundary, 96 (1999) 225

Sveconorwegian
Protolith ages and timing of deformation in the eastern, marginal part of the Sveconorwegian orogen, southwestern Sweden, 94 (1999) 29
Sveconorwegian (-Grenvillian) deformation, metamorphism and leucosome formation in SW Sweden, SW Baltic Shield: constraints from a Mesoproterozoic granite intrusion, 98 (1999) 151

Sveconorwegian orogen
Timing and characterization of recurrent pre-Sveconorwegian metamorphism and deformation in the Varberg–Halmstad region of SW Sweden, 98 (1999) 173

Sweden
Geology, geochemistry, age and geotectonic evolution of the Dala granitoids, central Sweden, 95 (1999) 147

SW Sweden
Sveconorwegian (-Grenvillian) deformation, metamorphism and leucosome formation in SW Sweden, SW Baltic Shield: constraints from a Mesoproterozoic granite intrusion, 98 (1999) 151

Tal Formation
Organic-walled microfossils from the Chert–phosphorite Member, Tal Formation, Precambrian–Cambrian Boundary, India, 97 (1999) 99

Tanzania
Timing of exhumation of a high-pressure mafic granulite terrane of the Paleoproterozoic Ubende belt (West Tanzania), 93 (1999) 119

Tectonic lenses
Sveconorwegian (-Grenvillian) deformation, metamorphism and leucosome formation in SW Sweden, SW Baltic Shield: constraints from a Mesoproterozoic granite intrusion, 98 (1999) 151

Tectonics
Tectonics of the southern portion of the Ribeira Belt (Apiaí Domain), 98 (1999) 31
Application of the parasequence concept to the Paleoproterozoic record of the northern Fennoscandian Shield, 97 (1999) 253

Tectonic setting
Sveconorwegian (-Grenvillian) deformation, metamorphism and leucosome formation in SW Sweden, SW Baltic Shield: constraints from a Mesoproterozoic granite intrusion, 98 (1999) 151
Geochemistry and geodynamic setting of volcanic and plutonic rocks associated with Early Archaean volcanogenic massive sulphide mineralization, Pilbara Craton, 98 (1998) 243

Tectonism
Sea level changes and the continental freeboard concept: general principles and application to the Precambrian, 97 (1999) 143
Influence of tectonism and climate on lithofacies distribution and sandstone and conglomerate composition in the Archean Beaulieu Rapids Formation, Northwest Territories, Canada, 94 (1999) 175

Terre Adélie
The Terre Adélie basement in the East-Antarctica Shield: geological and isotopic evidence for a major 1.7 Ga thermal event; comparison with the Gawler Craton in South Australia, 94 (1999) 205

The Jinning Orogeny
U–Pb zircon ages of granites from the southern margin

of the Yangtze Block: timing of Neoproterozoic Jinning: Orogeny in SE China and implications for Rodinia Assembly, 97 (1999) 43

Thermotectonism
Crustal evolution and age of thermotectonic reworking in the western hinterland of the Trans-Hudson Orogen, northern Saskatchewan, 95 (1999) 187

Tholeiite
Trace element systematics of ultramafic and mafic volcanic rocks from the 3 Ga North Caribou greenstone belt, northwestern Superior Province, 93 (1999) 257

Thule Supergroup
Organic-walled microfossils from the Proterozoic Thule Supergroup, Northwest Greenland, 96 (1999) 1

Tidal indicators
The auriferous Late Archaean Central Rand Group of South Africa: sea-level control of sedimentation?, 97 (1999) 191

Titanite
Protolith ages and timing of deformation in the eastern, marginal part of the Sveconorwegian orogen, southwestern Sweden, 94 (1999) 29
U–Pb ages on titanite and apatite from the Darling Range granite: implications for Late Archaean history of the southwestern Yilgarn Craton, 96 (1999) 125

Trans-Hudson Orogen
Crustal evolution and age of thermotectonic reworking in the western hinterland of the Trans-Hudson Orogen, northern Saskatchewan, 95 (1999) 187

Transpression
Transpressive tectonism in the eastern Penokean orogen, Canada. Consequences for Proterozoic crustal kinematics and continental fragmentation, 93 (1999) 51

U–Pb
Protolith ages and timing of deformation in the eastern, marginal part of the Sveconorwegian orogen, southwestern Sweden, 94 (1999) 29
Geochemical and U–Pb zircon geochronological constraints on the development of a Late Archean greenstone belt at Birch Lake, Superior Province, Canada, 97 (1999) 77
U–Pb and Pb–Pb isotopic studies relating to the origin of gold mineralization in the Evander Goldfield, Witwatersrand Basin, South Africa, 95 (1999) 167

U–Pb age
U–Pb ages on titanite and apatite from the Darling Range granite: implications for Late Archaean history of the southwestern Yilgarn Craton, 96 (1999) 125
Geology, geochemistry, age and geotectonic evolution of the Dala granitoids, central Sweden, 95 (1999) 147

U–Pb geochronology
U–Pb geochronology, geochemistry, and provenance of the Grenvillian Huiznopala Gneiss of Eastern Mexico, 94 (1999) 73
Timing and characterization of recurrent pre-Sveconorwegian metamorphism and deformation in the Varberg–Halmstad region of SW Sweden, 98 (1999) 173

U–Pb zircon ages
U–Pb zircon ages of granites from the southern margin of the Yangtze Block: timing of Neoproterozoic Jinning: Orogeny in SE China and implications for Rodinia Assembly, 97 (1999) 43

Volcanic geochemistry
Geochemistry of low-grade metavolcanic rocks from the Pan-African of the Axum area, northern Ethiopia, 96 (1999) 101

Volcano-sedimentary record
The 2.7–2.0 Ga volcano-sedimentary record of Africa, India and Australia: evidence for global and local changes in sea level and continental freeboard, 97 (1999) 269

Volcanogenic massive sulphides
Geochemistry and geodynamic setting of volcanic and plutonic rocks associated with Early Archaean volcanogenic massive sulphide mineralization, Pilbara Craton, 98 (1998) 243

Western Australia
Depositional age and provenance of the Marboo Formation from SHRIMP U–Pb zircon geochronology: Implications for the early Palaeoproterozoic tectonic evolution of the Kimberley region, Western Australia, 95 (1999) 225

Whim Creek Group
New constraints on the evolution of the Mallina Basin, and their bearing on relationships between the contrasting eastern and western granite–greenstone terranes of the Archaean Pilbara Craton, Western Australia, 94 (1999) 11

Wilson Terrane
P–T–t evolution of the Wilson Terrane metamorphic basement at Oates Coast, Antarctica, 93 (1999) 235

Witwatersrand
The auriferous Late Archaean Central Rand Group of South Africa: sea-level control of sedimentation?, 97 (1999) 191

Witwatersrand Basin
U–Pb and Pb–Pb isotopic studies relating to the origin of gold mineralization in the Evander Goldfield, Witwatersrand Basin, South Africa, 95 (1999) 167

Yangtze
Palaeomagnetic study of Neoproterozoic glacial rocks of the Yangzi Block: palaeolatitude and configuration of South China in the late Proterozoic Supercontinent, 94 (1999) 1

Yangtze Block
U–Pb zircon ages of granites from the southern margin of the Yangtze Block: timing of Neoproterozoic Jinning: Orogeny in SE China and implications for Rodinia Assembly, 97 (1999) 43
Spatial and temporal variations in carbon and sulfur isotopic compositions of Sinian sedimentary rocks in the Yangtze platform, South China, 97 (1999) 59

Yilgarn
The Archaean Ravensthorpe Terrane, Western Australia: synvolcanic Cu–Au mineralization in a deformed island arc complex, 96 (1999) 143

Yilgarn Craton
U–Pb ages on titanite and apatite from the Darling Range granite: implications for Late Archaean history of the southwestern Yilgarn Craton, 96 (1999) 125

Zambezi belt
U–Pb and $^{40}Ar/^{39}Ar$ geochronological constraints on the tectonic evolution of the easternmost part of the Zambezi orogenic belt, northeast Zimbabwe, 98 (1999) 67

Zimbabwe
U–Pb and $^{40}Ar/^{39}Ar$ geochronological constraints on the tectonic evolution of the easternmost part of the Zambezi orogenic belt, northeast Zimbabwe, 98 (1999) 67

Zircon
Protolith ages and timing of deformation in the eastern, marginal part of the Sveconorwegian orogen, southwestern Sweden, 94 (1999) 29
U–Pb and Pb–Pb isotopic studies relating to the origin of gold mineralization in the Evander Goldfield, Witwatersrand Basin, South Africa, 95 (1999) 167
The Terre Adélie basement in the East-Antarctica Shield: geological and isotopic evidence for a major 1.7 Ga thermal event; comparison with the Gawler Craton in South Australia, 94 (1999) 205
Single zircon ages for granitoid gneisses in the Central Zone of the Limpopo Belt, Southern Africa and geodynamic significance, 93 (1999) 299

Zircon geochronology
$^{207}Pb/^{206}Pb$ zircon ages and the evolution of the Singhbhum Craton, eastern India: an ion microprobe study, 93 (1999) 139

ELSEVIER

Precambrian Research 98 (1999) 327–332

Precambrian Research

www.elsevier.com/locate/precamres

Author Index, Volumes 93–98 (1999)

Åhäll, K.-I., see Christoffel, C.A., 98 (1999) 173
Ahl, M., Sundblad, K. and Schöberg, H.
Geology, geochemistry, age and geotectonic evolution of the Dala granitoids, central Sweden, 95 (1999) 147
Altermann, W., see Nelson, D.R., 97 (1999) 165
Altermann, W., see Eriksson, P.G., 97 (1999) 269
Alviola, R., Johanson, B.S., Rämö, O.T. and Vaasjoki, M.
The Proterozoic Ahvenisto rapakivi granite–massif-type anorthosite complex, southeastern Finland; petrography and U–Pb chronology, 95 (1999) 89
Andersson, J., Söderlund, U., Cornell, D., Johansson, L. and Möller, C.
Sveconorwegian (-Grenvillian) deformation, metamorphism and leucosome formation in SW Sweden, SW Baltic Shield: constraints from a Mesoproterozoic granite intrusion, 98 (1999) 151
Arndt, N.
Why was flood volcanism on submerged continental platforms so common in the Precambrian?, 97 (1999) 155

Balaram, V., see Sambasiva Rao, V.V., 98 (1999) 53
Barley, M.E. and Pickard, A.L.
An extensive, crustally-derived, 3325 to 3310 Ma silicic volcanoplutonic suite in the eastern Pilbara Craton: evidence from the Kelly Belt, McPhee Dome and Corunna Downs Batholith, 96 (1999) 41
Beakhouse, G.P., Heaman, L.M. and Creaser, R.A.
Geochemical and U–Pb zircon geochronological constraints on the development of a Late Archean greenstone belt at Birch Lake, Superior Province, Canada, 97 (1999) 77
Beane, R., see Smith, D.R., 98 (1999) 271
Beaumont, V. and Robert, F.
Nitrogen isotope ratios of kerogens in Precambrian cherts: a record of the evolution of atmosphere chemistry?, 96 (1999) 63
Bettencourt, J.S., Tosdal, R.M., Leite Jr, W.B. and Payolla, B.L.
Mesoproterozoic rapakivi granites of the Rondônia Tin Province, southwestern border of the Amazonian craton, Brazil — I. Reconnaissance U–Pb geochronology and regional implications, 95 (1999) 41
Bickford, M.E., see Orrell, S.E., 95 (1999) 187
Bose, P.K., see Eriksson, P.G., 97 (1999) 269
Bossi, J., see Teixeira, W., 93 (1999) 153
Boven, A., Theunissen, K., Sklyarov, E., Klerkx, J., Melnikov, A., Mruma, A. and Punzalan, L.
Timing of exhumation of a high-pressure mafic granulite terrane of the Paleoproterozoic Ubende belt (West Tanzania), 93 (1999) 119
Bowring, S.A., see Vinya, M.L., 98 (1999) 67
Brandl, G., see Kröner, A., 93 (1999) 299
Bridgwater, D., see Nutman, A.P., 93 (1999) 87
Bröcker, M., see Schüssler, U., 93 (1999) 235
Buhl, D., see Raith, M.M., 98 (1999) 129

Caby, R., see da Costa Campos Neto, M., 97 (1999) 3
Caby, R., see Cosca, M.A., 98 (1999) 107
Cameron, K.L., see Lawlor, P.J., 94 (1999) 73
Campal, N., see Teixeira, W., 93 (1999) 153
Campanha, G.A.d.C. and Sadowski, G.R.
Tectonics of the southern portion of the Ribeira Belt (Apiaí Domain), 98 (1999) 31
Card, K.D., see Riller, U., 93 (1999) 51
Carlson, W.D., see Rougvie, J.R., 94 (1999) 49
Catuneanu, O. and Eriksson, P.G.
The sequence stratigraphic concept and the Precambrian rock record: an example from the 2.7–2.1 Ga Transvaal Supergroup, Kaapvaal craton, 97 (1999) 215
Cawood, P., see Zhao, G., 93 (1999) 181
Chen, J., see Li, R., 97 (1999) 59
Chen, X., see Li, R., 97 (1999) 59
Christoffel, C.A., Connelly, J.N. and Åhäll, K.-I.
Timing and characterization of recurrent pre-Sveconorwegian metamorphism and deformation in the Varberg–Halmstad region of SW Sweden, 98 (1999) 173
Collerson, K.D., see Wendt, J.I., 93 (1999) 281
Connelly, J.N., see Christoffel, C.A., 98 (1999) 173
Connelly, J.N., see Rougvie, J.R., 94 (1999) 49
Copeland, P., see Rougvie, J.R., 94 (1999) 49
Corcoran, P.L., Mueller, W.U. and Padgham, W.A.

1999 Elsevier Science B.V.
PII: S0301-9268(99)00060-1

Influence of tectonism and climate on lithofacies distribution and sandstone and conglomerate composition in the Archean Beaulieu Rapids Formation, Northwest Territories, Canada, 94 (1999) 175
Cornell, D., see Andersson, J., 98 (1999) 151
Cosca, M.A., see Mezger, K., 94 (1999) 251
Cosca, M.A., Shimron, A. and Caby, R.
Late Precambrian metamorphism and cooling in the Arabian–Nubian Shield: $^{40}Ar/^{39}Ar$ geochronology of metamorphic rocks of the Elat area (southern Israel), 98 (1999) 107
Costi, H.T., see Dall'Agnol, R., 95 (1999) 9
Creaser, R.A., see Beakhouse, G.P., 97 (1999) 77

D'Agrella Filho, M.S., see Teixeira, W., 93 (1999) 153
da Costa Campos Neto, M. and Caby, R.
Neoproterozoic high-pressure metamorphism and tectonic constraint from the nappe system south of the São Francisco Craton, southeast Brazil, 97 (1999) 3
Dall'Agnol, R., Costi, H.T., Leite, A.A.d.S., de Magalhães, M.S. and Teixeira, N.P.
Rapakivi granites from Brazil and adjacent areas, 95 (1999) 9
Davis, C., see Smith, D.R., 98 (1999) 271
Dawes, P.R. and Vidal, G.
Organic-walled microfossils from the Proterozoic Thule Supergroup, Northwest Greenland, 96 (1999) 1
de Bruijne, K., see Nijman, W., 95 (1999) 247
de Magalhães, M.S., see Dall'Agnol, R., 95 (1999) 9
Deomurari, M.P., see Mishra, S., 93 (1999) 139
Dilliard, K.A., Simpson, E.L., Noto, R.C. and Wizevich, M.
Characterization of fluvial deposits interbedded with flood basalts, Neoproterozoic Catoctin Formation, Central Appalachians, USA, 97 (1999) 115
Dirks, P.H.G.M., see Vinya, M.L., 98 (1999) 67
Douglass, J., see Smith, D.R., 98 (1999) 271

Ehlers, K., see Nutman, A.P., 98 (1999) 7
Eklund, O. and Shebanov, A.D.
The origin of rapakivi texture by sub-isothermal decompression, 95 (1999) 129
Els, B.G., see Karpeta, W.P., 97 (1999) 191
Eriksson, P.G.
Sea level changes and the continental freeboard concept: general principles and application to the Precambrian, 97 (1999) 143
Eriksson, P.G., see Catuneanu, O., 97 (1999) 215
Eriksson, P.G., Mazumder, R., Sarkar, S., Bose, P.K., Altermann, W. and van der Merwe, R.
The 2.7–2.0 Ga volcano-sedimentary record of Africa, India and Australia: evidence for global and local changes in sea level and continental freeboard, 97 (1999) 269

Fanning, C.M., see Peucat, J.J., 94 (1999) 205
Faryad, S.W.
Metamorphic evolution of the Precambrian South Badakhshan block, based on mineral reactions in metapelites and metabasites associated with whiteschists from Sare Sang (Western Hindu Kush, Afghanistan), 98 (1999) 223

Gariépy, C., see Stevenson, R., 96 (1999) 83
Ghebreab, W.
Tectono-metamorphic history of Neoproterozoic rocks in eastern Eritrea, 98 (1999) 83
Goldman, S., see Smith, D.R., 98 (1999) 271
Golubic, S., see Seong-Joo, L., 96 (1999) 183
Goswami, J.N., see Mishra, S., 93 (1999) 139
Govil, P.K., see Sambasiva Rao, V.V., 98 (1999) 53
Gresse, P.G., see Rozendaal, A., 97 (1999) 303
Griffin, T.J., see Tyler, I.M., 95 (1999) 225
Guan, B., see Yin, L., 94 (1999) 121
Gustavson, B., see Smith, D.R., 98 (1999) 271

Haapala, I. and Rämö, O.T.
Rapakivi granites and related rocks: an introduction, 95 (1999) 1
Halls, H.C., see Mertanen, S., 98 (1999) 197
Halls, H.C., see Riller, U., 93 (1999) 51
Hanson, R.E., see Vinya, M.L., 98 (1999) 67
Heaman, L.M., see Beakhouse, G.P., 97 (1999) 77
Henjes-Kunst, F., see Schüssler, U., 93 (1999) 235
Henry, P., see Stevenson, R., 96 (1999) 83
Herwegh, M., see Schaller, M., 96 (1999) 263
Hickman, A.H., see Smithies, R.H., 94 (1999) 11
Hirdes, W., see John, T., 98 (1999) 11
Hollings, P. and Kerrich, R.
Trace element systematics of ultramafic and mafic volcanic rocks from the 3 Ga North Caribou greenstone belt, northwestern Superior Province, 93 (1999) 257
Holzer, L., see Schaller, M., 96 (1999) 263
Hoshino, M., see Tadesse, T., 96 (1999) 101

Jaeckel, P., see Kröner, A., 93 (1999) 299
Jarl, L.-G., see Söderlund, U., 94 (1999) 29
Jelsma, H.A., see Vinya, M.L., 98 (1999) 67
Jiedong, Y., Weiguo, S., Zongzhe, W., Yaosong, X. and Xiancong, T.
Variations in Sr and C isotopes and Ce anomalies in successions from China: evidence for the oxygenation of Neoproterozoic seawater?, 93 (1999) 215
Johanson, B.S., see Alviola, R., 95 (1999) 89
Johansson, L., see Andersson, J., 98 (1999) 151
John, T., Klemd, .R., Hirdes, W. and Loh, G.
The metamorphic evolution of the Paleoproterozoic (Birimian) volcanic Ashanti belt (Ghana, West Africa), 98 (1999) 11

Kakegawa, T. and Ohmoto, H.
Sulfur isotope evidence for the origin of 3.4 to 3.1 Ga pyrite at the Princeton gold mine, Barberton Greenstone Belt, South Africa, 96 (1999) 209

Kalsbeek, F. and Manatschal, G.
Geochemistry and tectonic significance of peridotitic and metakomatiitic rocks from the Ussuit area, Nagssugtoqidian orogen, West Greenland, 94 (1999) 101
Kalsbeek, F., see Nutman, A.P., 93 (1999) 87
Karpeta, W.P. and Els, B.G.
The auriferous Late Archaean Central Rand Group of South Africa: sea-level control of sedimentation?, 97 (1999) 191
Kay, G., see Smith, D.R., 98 (1999) 271
Kerrich, R., see Vearncombe, S., 98 (1998) 243
Kerrich, R., see Polat, A., 94 (1999) 139
Kerrich, R., see Hollings, P., 93 (1999) 257
Klemd, .R., see John, T., 98 (1999) 11
Klerkx, J., see Boven, A., 93 (1999) 119
Koehler, H., see Raith, M.M., 98 (1999) 129
Köhler, H., see Weber, B., 96 (1999) 245
Kramers, J.D., see Schaller, M., 96 (1999) 263
Kriegsman, L.M., see van Gool, J.A.M., 93 (1999) 71
Krikke, A., see Nijman, W., 95 (1999) 277
Krol, M.A., see Vinya, M.L., 98 (1999) 67
Kröner, A., Jaeckel, P., Brandl, G., Nemchin, A.A. and Pidgeon, R.T.
Single zircon ages for granitoid gneisses in the Central Zone of the Limpopo Belt, Southern Africa and geodynamic significance, 93 (1999) 299

Laajoki, K., see Strand, K., 97 (1999) 253
Lawlor, P.J., Ortega-Gutiérrez, F., Cameron, K.L., Ochoa-Camarillo, H., Lopez, R. and Sampson, D.E.
U–Pb geochronology, geochemistry, and provenance of the Grenvillian Huiznopala Gneiss of Eastern Mexico, 94 (1999) 73
Le Roux, J.P., see Rozendaal, A., 97 (1999) 303
Lei, J., see Li, R., 97 (1999) 59
Leite, A.A.d.S., see Dall'Agnol, R., 95 (1999) 9
Leite Jr, W.B., see Bettencourt, J.S., 95 (1999) 41
Lewry, J.F., see Orrell, S.E., 95 (1999) 187
Li, R., Chen, J., Zhang, S., Lei, J., Shen, Y. and Chen, X.
Spatial and temporal variations in carbon and sulfur isotopic compositions of Sinian sedimentary rocks in the Yangtze platform, South China, 97 (1999) 59
Li, X.-H.
U–Pb zircon ages of granites from the southern margin of the Yangtze Block: timing of Neoproterozoic Jinning: Orogeny in SE China and implications for Rodinia Assembly, 97 (1999) 43
Li, Z.X. and Powell, C.McA.
Palaeomagnetic study of Neoproterozoic glacial rocks of the Yangzi Block: palaeolatitude and configuration of South China in the late Proterozoic Supercontinent, 94 (1999) 1
Loh, G., see John, T., 98 (1999) 11
Lopez, R., see Lawlor, P.J., 94 (1999) 73
López-Cortés, A.
Paleobiological significance of hydrophobicity and adhesion of phototrophic bacteria from microbial mats, 96 (1999) 25
Lowell, G.R. and Young, G.J.
Interaction between coeval mafic and felsic melts in the St. Francois Terrane of Missouri, USA, 95 (1999) 69
Lu, L., see Zhao, G., 93 (1999) 181
Lucas, S.B., see St-Onge, M.R., 93 (1999) 27

Manatschal, G., see Kalsbeek, F., 94 (1999) 101
Marker, M., see van Gool, J.A.M., 93 (1999) 71
Marker, M., see Nutman, A.P., 93 (1999) 87
Martin, M.W., see Vinya, M.L., 98 (1999) 67
Mazumder, R., see Eriksson, P.G., 97 (1999) 269
Mellqvist, C., Öhlander, B., Skiöld, T. and Wikström, A.
The Archaean–Proterozoic Palaeoboundary in the Luleå area, northern Sweden: field and isotope geochemical evidence for a sharp terrane boundary, 96 (1999) 225
Mellqvist, C., see Öhlander, B., 93 (1999) 105
Melnikov, A., see Boven, A., 93 (1999) 119
Ménot, R.P., see Peucat, J.J., 94 (1999) 205
Mertanen, S., Halls, H.C., Vuollo, J.I., Pesonen, L.J. and Stepanov, V.S.
Paleomagnetism of 2.44 Ga mafic dykes in Russian Karelia, eastern Fennoscandian Shield — implications for continental reconstructions, 98 (1999) 197
Mezger, K. and Cosca, M.A.
The thermal history of the Eastern Ghats Belt (India) as revealed by U–Pb and 40Ar/39Ar dating of metamorphic and magmatic minerals: implications for the SWEAT correlation, 94 (1999) 251
Mishra, S., Deomurari, M.P., Wiedenbeck, M., Goswami, J.N., Ray, S. and Saha, A.K.
$^{207}Pb/^{206}Pb$ zircon ages and the evolution of the Singhbhum Craton, eastern India: an ion microprobe study, 93 (1999) 139
Möller, C., see Andersson, J., 98 (1999) 151
Monnier, O., see Peucat, J.J., 94 (1999) 205
Mruma, A., see Boven, A., 93 (1999) 119
Mueller, W.U., see Corcoran, P.L., 94 (1999) 175

Nelson, D.R., Trendall, A.F. and Altermann, W.
Chronological correlations between the Pilbara and Kaapvaal cratons, 97 (1999) 165
Nelson, D.R., see Smithies, R.H., 94 (1999) 11
Nemchin, A.A. and Pidgeon, R.T.
U–Pb ages on titanite and apatite from the Darling Range granite: implications for Late Archaean history of the southwestern Yilgarn Craton, 96 (1999) 125
Nemchin, A.A., see Kröner, A., 93 (1999) 299
Nichols, G.T., see van Gool, J.A.M., 93 (1999) 71
Nijman, W., de Bruijne, K. and Valkering, M.E.
Growth fault control of Early Archaean cherts, barite mounds and chert-barite veins, North Pole Dome, Eastern Pilbara, Western Australia, 95 (1999) 247
Nijman, W., Willigers, B.J.A. and Krikke, A.
Tensile and compressive growth structures: relationships

between sedimentation, deformation and granite intrusion in the Archaean, 95 (1999) 277
Noblett, J., see Smith, D.R., 98 (1999) 271
Noto, R.C., see Dilliard, K.A., 97 (1999) 115
Nutman, A.P., Kalsbeek, F., Marker, M., van Gool, J.A.M. and Bridgwater, D.
U–Pb zircon ages of Kangâmiut dykes and detrital zircons in metasediments in the Palaeoproterozoic Nagssugtoqidian Orogen (West Greenland). Clues to the pre-collisional history of the orogen, 93 (1999) 87
Nutman, A.P. and Ehlers, K.
Evidence for multiple Palaeoproterozoic thermal events and magmatism adjacent to the Broken Hill Pb-Zn-Ag orebody, Australia, 98 (1999) 7

Ochoa-Camarillo, H., see Lawlor, P.J., 94 (1999) 73
Öhlander, B., see Mellqvist, C., 96 (1999) 225
Öhlander, B., Mellqvist, C. and Skiöld, T.
Sm–Nd isotope evidence of a collisional event in the Precambrian of northern Sweden, 93 (1999) 105
Ohmoto, H., see Kakegawa, T., 96 (1999) 209
Orrell, S.E., Bickford, M.E. and Lewry, J.F.
Crustal evolution and age of thermotectonic reworking in the western hinterland of the Trans-Hudson Orogen, northern Saskatchewan, 95 (1999) 187
Ortega-Gutiérrez, F., see Lawlor, P.J., 94 (1999) 73

Padgham, W.A., see Corcoran, P.L., 94 (1999) 175
Page, R.W., see Tyler, I.M., 95 (1999) 225
Page, R.W., see Rawlings, D.J., 94 (1999) 225
Payolla, B.L., see Bettencourt, J.S., 95 (1999) 41
Persson, A.I.
Absolute (U–Pb) and relative age determinations of intrusive rocks in the Ragunda rapakivi complex, central Sweden, 95 (1999) 109
Persson, P.-O., see Söderlund, U., 94 (1999) 29
Pesonen, L.J., see Mertanen, S., 98 (1999) 197
Peucat, J.J., Ménot, R.P., Monnier, O. and Fanning, C.M.
The Terre Adélie basement in the East-Antarctica Shield: geological and isotopic evidence for a major 1.7 Ga thermal event; comparison with the Gawler Craton in South Australia, 94 (1999) 205
Pickard, A.L., see Barley, M.E., 96 (1999) 41
Pidgeon, R.T., see Nemchin, A.A., 96 (1999) 125
Pidgeon, R.T., see Kröner, A., 93 (1999) 299
Piper, J.D.A. and Zhang, Q.R.
Palaeomagnetic study of Neoproterozoic glacial rocks of the Yangzi Block: palaeolatitude and configuration of South China in the late Proterozoic Supercontinent, 94 (1999) 7
Pisarevsky, S.A. and Sokolov, S.J.
Palaeomagnetism of the Palaeoproterozoic ultramafic intrusion near Lake Konchozero, Southern Karelia, Russia, 93 (1999) 201
Polat, A., Kerrich, R. and Wyman, D.A.
Geochemical diversity in oceanic komatiites and basalts from the late Archean Wawa greenstone belts, Superior Province, Canada: trace element and Nd isotope evidence for a heterogeneous mantle, 94 (1999) 139
Poujol, M., Robb, L.J. and Respaut, J.P.
U–Pb and Pb–Pb isotopic studies relating to the origin of gold mineralization in the Evander Goldfield, Witwatersrand Basin, South Africa, 95 (1999) 167
Powell, C.McA., see Li, Z.X., 94 (1999) 1
Punzalan, L., see Boven, A., 93 (1999) 119

Raith, M.M., Srikantappa, C., Buhl, D. and Koehler, H.
The Nilgiri enderbites, South India: nature and age constraints on protolith formation, high-grade metamorphism and cooling history, 98 (1999) 129
Rämö, O.T., see Haapala, I., 95 (1999) 1
Rämö, O.T., see Alviola, R., 95 (1999) 89
Rawlings, D.J. and Page, R.W.
Geology, geochronology and emplacement structures associated with the Jimbu Microgranite, McArthur Basin, Northern Territory, 94 (1999) 225
Ray, S., see Mishra, S., 93 (1999) 139
Renne, P.R., see Teixeira, W., 93 (1999) 153
Respaut, J.P., see Poujol, M., 95 (1999) 167
Riller, U., Schwerdtner, W.M., Halls, H.C. and Card, K.D.
Transpressive tectonism in the eastern Penokean orogen, Canada. Consequences for Proterozoic crustal kinematics and continental fragmentation, 93 (1999) 51
Robb, L.J., see Poujol, M., 95 (1999) 167
Robert, F., see Beaumont, V., 96 (1999) 63
Rougvie, J.R., Carlson, W.D., Copeland, P. and Connelly, J.N.
Late thermal evolution of Proterozoic rocks in the northeastern Llano Uplift, central Texas, 94 (1999) 49
Rozendaal, A., Gresse, P.G., Scheepers, R. and Le Roux, J.P.
Neoproterozoic to Early Cambrian Crustal Evolution of the Pan-African Saldania Belt, South Africa, 97 (1999) 303

Sadowski, G.R., see Campanha, G.A.d.C., 98 (1999) 31
Saha, A.K., see Mishra, S., 93 (1999) 139
Saltoun, B., see Smith, D.R., 98 (1999) 271
Sambasiva Rao, V.V., Sreenivas, B., Balaram, V., Govil, P.K. and Srinivasan, R.
The nature of the Archean upper crust as revealed by the geochemistry of the Proterozoic shales of the Kaladgi basin, Karnataka, southern India, 98 (1999) 53
Sampson, D.E., see Lawlor, P.J., 94 (1999) 73
Sarkar, S., see Eriksson, P.G., 97 (1999) 269
Sawada, Y., see Tadesse, T., 96 (1999) 101
Schaller, M., Steiner, O., Studer, I., Holzer, L., Herwegh, M. and Kramers, J.D.
Exhumation of Limpopo Central Zone granulites and dextral continent-scale transcurrent movement at

2.0 Ga along the Palala Shear Zone, Northern Province, South Africa, 96 (1999) 263
Scheepers, R., see Rozendaal, A., 97 (1999) 303
Schöberg, H., see Ahl, M., 95 (1999) 147
Schüssler, U., Bröcker, M., Henjes-Kunst, F. and Will, T.
P–T–t evolution of the Wilson Terrane metamorphic basement at Oates Coast, Antarctica, 93 (1999) 235
Schwerdtner, W.M., see Riller, U., 93 (1999) 51
Scott, D.J., see St-Onge, M.R., 93 (1999) 27
Seong-Joo, L. and Golubic, S.
Microfossil populations in the context of synsedimentary micrite deposition and acicular carbonate precipitation: Mesoproterozoic Gaoyuzhuang Formation, China, 96 (1999) 183
Shebanov, A.D., see Eklund, O., 95 (1999) 129
Shen, Y., see Li, R., 97 (1999) 59
Shimron, A., see Cosca, M.A., 98 (1999) 107
Simpson, E.L., see Dilliard, K.A., 97 (1999) 115
Skiöld, T., see Mellqvist, C., 96 (1999) 225
Skiöld, T., see Öhlander, B., 93 (1999) 105
Sklyarov, E., see Boven, A., 93 (1999) 119
Smith, D.R., Noblett, J., Wobus, R.A., Unruh, D., Douglass, J., Beane, R., Davis, C., Goldman, S., Kay, G., Gustavson, B., Saltoun, B. and Stewart, J.
Petrology and geochemistry of late-stage intrusions of the A-type, mid-Proterozoic Pikes Peak batholith (Central Colorado, USA): implications for petrogenetic models, 98 (1999) 271
Smithies, R.H., Hickman, A.H. and Nelson, D.R.
New constraints on the evolution of the Mallina Basin, and their bearing on relationships between the contrasting eastern and western granite–greenstone terranes of the Archaean Pilbara Craton, Western Australia, 94 (1999) 11
Söderlund, U., Jarl, L.-G., Persson, P.-O., Stephens, M.B. and Wahlgren, C.-H.
Protolith ages and timing of deformation in the eastern, marginal part of the Sveconorwegian orogen, southwestern Sweden, 94 (1999) 29
Söderlund, U., see Andersson, J., 98 (1999) 151
Sokolov, S.J., see Pisarevsky, S.A., 93 (1999) 201
Sreenivas, B., see Sambasiva Rao, V.V., 98 (1999) 53
Srikantappa, C., see Raith, M.M., 98 (1999) 129
Srinivasan, R., see Sambasiva Rao, V.V., 98 (1999) 53
St-Onge, M.R., Lucas, S.B., Scott, D.J. and Wodicka, N.
Upper and lower plate juxtaposition, deformation and metamorphism during crustal convergence, Trans-Hudson Orogen (Quebec–Baffin segment), Canada, 93 (1999) 27
Steiner, O., see Schaller, M., 96 (1999) 263
Stepanov, V.S., see Mertanen, S., 98 (1999) 197
Stephens, M.B., see Söderlund, U., 94 (1999) 29
Stevenson, R., Henry, P. and Gariépy, C.
Assimilation–fractional crystallization origin of Archean Sanukitoid Suites: Western Superior Province, Canada, 96 (1999) 83
Stewart, J., see Smith, D.R., 98 (1999) 271
Strand, K. and Laajoki, K.
Application of the parasequence concept to the Paleoproterozoic record of the northern Fennoscandian Shield, 97 (1999) 253
Studer, I., see Schaller, M., 96 (1999) 263
Sundblad, K., see Ahl, M., 95 (1999) 147

Tadesse, T., Hoshino, M. and Sawada, Y.
Geochemistry of low-grade metavolcanic rocks from the Pan-African of the Axum area, northern Ethiopia, 96 (1999) 101
Teixeira, N.P., see Dall'Agnol, R., 95 (1999) 9
Teixeira, W., Renne, P.R., Bossi, J., Campal, N. and D'Agrella Filho, M.S.
^{40}Ar–^{39}Ar and Rb–Sr geochronology of the Uruguayan dike swarm, Rio de la Plata Craton and implications for Proterozoic intraplate activity in western Gondwana, 93 (1999) 153
Theunissen, K., see Boven, A., 93 (1999) 119
Tiwari, M.
Organic-walled microfossils from the Chert–phosphorite Member, Tal Formation, Precambrian–Cambrian Boundary, India, 97 (1999) 99
Tosdal, R.M., see Bettencourt, J.S., 95 (1999) 41
Trendall, A.F., see Nelson, D.R., 97 (1999) 165
Tyler, I.M., Page, R.W. and Griffin, T.J.
Depositional age and provenance of the Marboo Formation from SHRIMP U–Pb zircon geochronology: Implications for the early Palaeoproterozoic tectonic evolution of the Kimberley region, Western Australia, 95 (1999) 225

Unruh, D., see Smith, D.R., 98 (1999) 271

Vaasjoki, M., see Alviola, R., 95 (1999) 89
Valkering, M.E., see Nijman, W., 95 (1999) 247
van der Merwe, R., see Eriksson, P.G., 97 (1999) 269
van Gool, J.A.M., Kriegsman, L.M., Marker, M. and Nichols, G.T.
Thrust stacking in the inner Nordre Strømfjord area, West Greenland. Significance for the tectonic evolution of the Palaeoproterozoic Nagssugtoqidian orogen, 93 (1999) 71
van Gool, J.A.M., see Nutman, A.P., 93 (1999) 87
Vearncombe, S. and Kerrich, R.
Geochemistry and geodynamic setting of volcanic and plutonic rocks associated with Early Archaean volcanogenic massive sulphide mineralization, Pilbara Craton, 98 (1998) 243
Vidal, G., see Dawes, P.R., 96 (1999) 1
Vinya, M.L., Hanson, R.E., Martin, M.W., Bowring, S.A., Jelsma, H.A., Krol, M.A. and Dirks, P.H.G.M.
U–Pb and $^{40}Ar/^{39}Ar$ geochronological constraints on the tectonic evolution of the easternmost part of the Zambezi orogenic belt, northeast Zimbabwe, 98 (1999) 67

Vuollo, J.I., see Mertanen, S., 98 (1999) 197

Wahlgren, C.-H., see Söderlund, U., 94 (1999) 29
Weber, B. and Köhler, H.
Sm–Nd, Rb–Sr and U–Pb geochronology of a Grenville Terrane in Southern Mexico: origin and geologic history of the Guichicovi Complex, 96 (1999) 245
Weiguo, S., see Jiedong, Y., 93 (1999) 215
Wendt, J.I. and Collerson, K.D.
Early Archan U/Pb fractionation and timing of late Archan high-grade metamorphism in the Saglek–Hebron segment of the North Atlantic Craton, 93 (1999) 281
Wiedenbeck, M., see Mishra, S., 93 (1999) 139
Wikström, A., see Mellqvist, C., 96 (1999) 225
Will, T., see Schüssler, U., 93 (1999) 235
Willigers, B.J.A., see Nijman, W., 95 (1999) 277
Witt, W.K.
The Archaean Ravensthorpe Terrane, Western Australia: synvolcanic Cu–Au mineralization in a deformed island arc complex, 96 (1999) 143
Wizevich, M., see Dilliard, K.A., 97 (1999) 115
Wobus, R.A., see Smith, D.R., 98 (1999) 271
Wodicka, N., see St-Onge, M.R., 93 (1999) 27
Wyman, D.A.
A 2.7 Ga depleted tholeiite suite: evidence of plume-arc interaction in the Abitibi Greenstone Belt, Canada, 97 (1999) 27
Wyman, D.A., see Polat, A., 94 (1999) 139

Xiancong, T., see Jiedong, Y., 93 (1999) 215

Yaosong, X., see Jiedong, Y., 93 (1999) 215
Yin, L. and Guan, B.
Organic-walled microfossils of Neoproterozoic Dongjia Formation, Lushan County, Henan Province, North China, 94 (1999) 121
Young, G.J., see Lowell, G.R., 95 (1999) 69

Zhang, Q.R., see Piper, J.D.A., 94 (1999) 7
Zhang, S., see Li, R., 97 (1999) 59
Zhao, G., Cawood, P. and Lu, L.
Petrology and *P–T* history of the Wutai amphibolites: implications for tectonic evolution of the Wutai Complex, China, 93 (1999) 181
Zongzhe, W., see Jiedong, Y., 93 (1999) 215